

Independent Electric ‘Water Filled’ Radiators

Elite Heaters Ltd - info@eliteheaters.co.uk Website - www.eliteheaters.co.uk

Timer and Thermostat Control Options

***Please note there are 2 control versions of Independent Water Filled Radiators**

Option 1 - ITC Timer Version - 24 hour Rotary Timer



Easy to use 24 hour mechanical timer built into side panel. The dial is divided into 24 segments for the 24 hours. Each hour has 4 tappets (each equates to 15 minutes)

Heating is simply timed to be either ‘on’ or ‘off’.

The over-ride button can be used to manually over-ride the heat demand from the set timer position.

The thermostatic control knob can be used to set the desired comfort level.

Option 2 – RFC Enabled Version with Digital Controller Option



Wireless (433MHz) and installed in minutes. Multiple radiators are registered and controlled by an RFC controller for the same temperature and heating timings.

By using additional RFC controllers your heated areas can be efficiently ‘zoned’. E.g. living areas and bedrooms.

Seven day programmable with up to six temperature changes per day.

Your heating can be easily programmed for your comfort temperature times. A ‘set back’ lower temperature setting is also provided to use when you are out, or at night times. This allows stops the property completely cooling out, allowing a more efficient warm up time back to your comfort temperature when required. The day program can be overridden by: Holiday, Boost, Advance , Set Back or Quick Adjust. Precision electronic thermostat. Accurate to 1 oC, with a 0.1 oC resolution. Temp display in C or o F (selectable). Clock display in 12 or 24 hour (selectable). Operates on two AA alkaline batteries (supplied) Battery life at least a year. Warns when batteries are low. If you replace the batteries the only thing you have to reset is the time, as all the programs are held in memory.

Radiator Price List – 1 / 1 / 2019



Integrated Timer Control (ITC) Radiator Versions



The ITC manual timer model features an easy to use 24 hour segmented daily timer.

This allows simple heating On / Off programming, with a dial thermostat temperature setting, tamper proof cover, and a hidden modern air sensing thermostat.

Model	Dimensions Height x Width cm	kW / BTU	Weight Kg	Item Price Inclusive of VAT	Approx. Room Size Guide m3
3100 ITC	30 x 100	0.9 / 2847	25	£544.80	15 – 25
3140 ITC	30 x 140	1.5 / 4172	33	£577.20	30 – 35
3160 ITC	30 x 160	1.5 / 4834	39	£577.20	35 – 40
4100 ITC	40 x 100	1.5 / 3755	33	£568.80	30 – 35
4140 ITC	40 x 140	2.0 / 5548	44	£592.80	35 – 45
4160 ITC	40 x 160	2.0 / 6282	50	£608.40	35 – 45
6040 ITC	60 x 40	0.9 / 1366	24	£504.00	20 – 25
6060 ITC	60 x 60	0.9 / 2731	29	£536.40	20 – 30
6080 ITC	60 x 80	1.5 / 3885	49	£558.00	35 – 40
6100 ITC	60 x 100	2.0 / 5121	50	£573.60	40 – 45
6120 ITC	60 x 120	2.0 / 6487	55	£596.40	40 – 55
Delivery			Per Delivery	£28.00	

Digital Radio Control (RFC) Radiator Versions

Each RFC version radio frequency enabled radiator model has a basic dial thermostat with a tamper proof cover, and also **an integral radio receiver unit**.



The battery operated RFC radio frequency controller (left) is an optional extra for use with the RFC enabled radiator models.

This gives you a remote control wall mounted digital 7-day fully programmable / clock thermostat function - which ensuring the maximum level of energy efficient heating. No unsightly wall wiring is required.

Each RFC controller can control a number of radiators in the same heating 'zone' for the same temperatures and timings - giving you the most economical use of your central heating. Change the 2 x AA RFC batteries annually.

Model	Dimensions Height x Width cm	kW / BTU	Weight Kg	Item Price Inclusive of VAT	Approx. Room Size Guide m3
3100 RFC	30 x 100	0.9 / 2847	25	£531.60	15 – 25
3140 RFC	30 x 140	1.5 / 4172	33	£564.00	30 – 35
3160 RFC	30 x 160	1.5 / 4834	39	£570.00	35 – 40
4100 RFC	40 x 100	1.5 / 3755	33	£547.20	30 – 35
4140 RFC	40 x 140	2.0 / 5548	44	£558.00	35 – 45
4160 RFC	40 x 160	2.0 / 6282	50	£572.40	35 – 45
6040 RFC	60 x 40	0.9 / 1366	24	£504.00	15 – 25
6060 RFC	60 x 60	0.9 / 2731	29	£523.20	20 - 30
6080 RFC	60 x 80	1.5 / 3885	40	£542.40	35 - 40
6100 RFC	60 x 100	2.0 / 5121	50	£560.40	40 – 50
6120 RFC	60 x 120	2.0 / 6487	55	£570.00	40 – 55
RFC Radio Controller Types RFC 1 & RFC 2	For RFC Radiator Versions	Controls a heating zone	Control 1 or multiple radiators together in a heating zone	£98.00	1.5 m of cable & standard plug
Delivery			Per Delivery	£28.00	

*** A quantity discount may apply to a multiple order – please enquire ***

Elite Heaters Ltd - www.eliteheaters.co.uk - Tel 07775 601692 (best)